

WEST BENGAL NURSING COUNCIL

SECOND YEAR GENERAL NURSING-MIDWIFERY (3 Yrs.) EXAMINATION, AUGUST - 2019

SUBJECT: CHILD HEALTH NURSING (PAPER IV)

(OBJECTIVE)

Full Marks: 20

Time Allowed: 20 mnts.

ANSWER ON THIS SHEET ONLY

5. Write full form of the following :-

1x5=5

- a) POCSO (Act) Protection of children from sexual offenses (Act)
- b) WIFSP Weekly Iron Folic Acid Supplementation Programme
- c) ICDS Integrated Child Development Scheme
- d) STORCH Syphilis, Toxoplasmosis, Rubella, cytomegalovirus, Herpes Simplex
- e) PDA Patent Ductus Arteriosus

6. Match the Items of Column 'A' with Column 'B'

1x5=5

Column A

Column B

- | | |
|---------------------|----------------------------------|
| a) Enuresis | i) Anorexia nervosa (e) |
| b) Diphtheria | ii) Vitamin D deficiency (d) |
| c) Malnutrition | iii) Elimination Problem (a) |
| d) Rickets | iv) Sore throat (b) |
| e) Adolescents girl | v) Post measles complication (c) |
| | vi) Vitamin C deficiency |

7. Fill up the blanks :

1x5=5

- a) The appropriate age for repair of cleft palate is 6m to 1 1/2 yrs
- b) The drawing of chest wall is a sign of Severe pneumonia
- c) Lateral or side to side curvature of spine is known as Scoliosis
- d) The process of physiological and functional maturation of a child is termed as Growth
- e) Down syndrome is a Chromosomal disorder.

8. Write 'True' for correct and 'False' for incorrect statement :-

1x5=5

- a) Iron deficiency Anaemia is not a problem among Pre-School Children. (F)
- b) CSF becomes turbid in bacterial meningitis. (T)
- c) Tricuspid atresia causes cyanotic heart disease. (T)
- d) Diarrhoea is common complication of a child with burn. (F)
- e) Mid-day school meal provide one-third of daily calorie requirement of a child. (T)

WEST BENGAL NURSING COUNCIL

THIRD-YEAR GENERAL NURSING-MIDWIFERY (3½ years) EXAMINATION, AUGUST - 2018

SUBJECT : PAEDIATRIC NURSING (Paper II) (OBJECTIVE)

Full Marks: 20

Time Allowed: 20 mnts.

ANSWER ON THIS SHEET ONLY

5. Fill in the blanks :-

1x5=5

- a) The estimation of surface area in Paediatric burn is commonly calculated by _____.
- b) Vit-A oil is to be started at the age of _____.
- c) The collection of pus in pleural cavity is called _____.
- d) Physiological jaundice usually develops on _____ day after birth.
- e) Causative organism of oral thrush is _____.

6. Write 'T' (True) against the correct statement and 'F' (False) against the incorrect statement :-

1x5=5

- a) Suctioning of the nose should be done first during neonatal resuscitation. ()
- b) The child with moderate level of mental retardation is trainable. ()
- c) BCG immunization is given through Intradermal route. ()
- d) Exclusive Breast feeding is given up to six months. ()
- e) TOF is an example of Anorectal malformation. ()

7. Write full form of :-

1x5=5

- a) IMNCI : _____
- b) SNCU : _____
- c) PEM : _____
- d) BFHI : _____
- e) STORCH: _____

8. Match the Items of Column 'A' with the Items of Column 'B'

1x5=5

Column A

- a) Birth Injury
- b) Rickets
- c) Hook worm
- d) Meningitis
- e) Nail biting

Column B

- i) Anaemia
- ii) Kernig's sign
- iii) Erb's Palsy
- iv) Anxiety
- v) Congenital deformity
- vi) Vit-D deficiency

ROLL NO. _____

WEST BENGAL NURSING COUNCIL
SECOND YEAR GENERAL NURSING-MIDWIFERY (3 Yrs.) EXAMINATION, AUGUST - 2018
SUBJECT: CHILD HEALTH NURSING (PAPER IV)
(OBJECTIVE)

Full Marks: 20

Time Allowed: 20 mnts.

ANSWER ON THIS SHEET ONLY

6. Match the items of Column 'A' with Column 'B'

1x10=10

Column A

- a) Worm infestation
- b) Intussusception
- c) Anterior Fontanelle
- d) Neonate
- e) Pyloric Stenosis
- f) Thalassemia
- g) Anasarca
- h) Hydrocephalus
- i) Thrush
- j) Measels vaccine

Column B

- i) Candidiasis
- ii) Projectile vomiting
- iii) 9 months of age
- iv) Albendazole
- v) 18 months of age
- vi) 24 months of age
- vii) Anemia
- viii) Birth to one month of age
- ix) Intestinal obstruction
- x) V.P Shunt
- xi) Nephrotic Syndrome

7. Write True/False against the following statements:-

1x5=5

- a) Talipes Equinovarus is the most common type of club foot. ()
- b) Spina bifida is one of the commonest anomaly of Neural Tube. ()
- c) Breastfeeding week is 1st week of November. ()
- d) Ricket is due to the deficiency of Vit C. ()
- e) At the age of one year, the Infant's birth weight will be tripled. ()

8. Fill up the blanks :

1x5=5

- a) The herniation of abdominal organ through a wide open umbilicus is known as _____.
- b) Fast breathing due to ARI for a child of 2 to 12 months is more than _____/minute.
- c) Anvesha clinic is arranged for _____ group.
- d) Emotional development theory was explained by _____.
- e) Hirschsprung's disease is also known as _____.

WEST BENGAL NURSING SOCIETY
SECOND YEAR GENERAL NURSING-MIDWIFERY (3 Years) EXAMINATION,

FEBRUARY - 2018

SUBJECT: CHILD HEALTH NURSING (Paper - IV)

(OBJECTIVE)

Full Marks: 20

ANSWER ON THIS SHEET ONLY

Time Allowed: 20 mnts.

5. Fill up the blanks :

1x5=5

- a) Mode of entry of typhoid bacillus via oral route in human being.
- b) The causative organism of chicken pox is varicella - zoster.
- c) Inflammation of middle ear is called Otitis media.
- d) TEF is an abnormal connection between trachea & esophagus.
- e) Inherited bleeding disorder due to deficiency of plasma coagulation factors is known as AS.

6. Write 'True'/'False' against the following statement :-

1x5=5

- a) Genetic counselling before marriage is a way of preventing Thalassaemia. (T)
- b) Measles vaccine is given at the age of 6 months. (F)
- c) The child labour act (Prohibition & Regulation) Act was implemental in 1986. (T)
- d) In talipes valgus, heel and foot are turned inwards. (F)
- e) The child with moderate level of mental retardation is trainable. (T)

7. Write full form of the following abbreviations :

1x5=5

- a) BCG Bacillus of Calmette and Guérin
- b) VSD Ventricular Septal Defect
- c) UNICEF United Nations International Children's Emergency Fund
- d) BFHI Baby Friendly Hospital Initiative
- e) RNTCP Revised National Tuberculosis Control Programme

8. Match the Column 'A' with 'B'

15=5

Column A

Column B

- | | |
|-------------------------|---------------------------|
| a) Kerning's sign. (I) | i) Anorectal Malformation |
| b) Adolescent girl (IV) | ii) 1 - 3 years |
| c) Colostomy (I) | iii) Meningitis |
| d) Myopia (V) | iv) Anorexia nervosa |
| e) Toddler (II) | v) Near sightedness |

WEST BENGAL NURSING COUNCIL
SECOND YEAR GENERAL NURSING MIDWIFERY EXAMINATION, AUGUST- 2017.
SUBJECT - CHILD HEALTH NURSING, Paper IV (OBJECTIVE)

Roll No: X

Full Marks - 20

Time allowed - 20 mins.

ANSWER ON THE SHEET ONLY

5. Fill in the blanks with suitable words:

- Surgical reconstruction of cleft lip is called cheiloplasty 1X5=5
- A habit disorder of eating non-edible substance like clay, chalk, paints etc is called pica / Geophagy
- Causative organism of whooping cough is Bordetella pertussis
- Anaemia due to deficiency of vitamin B12 is known as pernicious anaemia.
- Mode of transmission of leprosy is through contact transmission.

6. Write 'T' (True) against the correct and 'F' (False) against the incorrect statement. 1X5=5

- Talipes is an example of Anorectal malformation. (F)
- Congenital megacolon is due to absence of ganglionic cell in the colon. (T)
- Temper Tantrums is a common childhood behavioural problem. (T)
- Complementary feeding for Infant should be started after the age of 6 months. (T)
- ASD is one of the commonest anomaly of neural tube. (F)

1X5=5

7. Match the items of column A with the items of column B

Column A

- Convulsion IV
- Breast Feeding Week IV
- Hemophilia II
- Keratomalacia V
- Eneuresis I

Column B

- Bed wetting
- Factor VIII deficiency
- Epilepsy
- 1st Week of August
- 1st week of November
- Vit A deficiency

1X5=5

8. Encircle (O) the most suitable answer:

I) The child with moderate level of Mental Retardation is-

- Educable.
- Untrainable.
- Trainable. ✓

II) The best restraint for a child with cleft lip repair is:-

- Jacket restraint
- Finger restraint
- Elbow restraint

III) Circumcision is done in case of:-

- Hypospadias
- Epispadias
- Phimosis

IV) Anterior Fontanelle closes at the age of-

- 18 months
- 12 months
- 10 months

- congenital heart disease-

WEST BENGAL NURSING COUNCIL

THIRD YEAR GENERAL NURSING MIDWIFERY (3^{1/2} YEARS) EXAMINATION, AUGUST - 2017

SUBJECT: Paediatric Nursing (Paper - II) (Objective)

TIME ALLOWED: 20 mins

FULL MARKS: 20

Answer on the sheet only.

5. Fill in the gaps with suitable word:

1 X 5 = 5

- a) The herniation of abdominal organ through a wide open umbilicus is known as _____.
- b) Thumb sucking occurs due to feeling of _____ in childhood.
- c) Infants weight increases 3 times of birth weight at the age of _____.
- d) _____ is one of the common cyanotic heart disease.
- e) Neonatal jaundice is treated by _____.

6. True / False

1 X 5 = 5

- a) Adequate love and affection helps child to be mentally stable. (7)
- b) Temporary teething completed at the age of 12-15 month. (15)
- c) Bowel, Bladder control is achieved at the age of 2 yrs. (15)
- d) Generalised tonic clonic seizure also known Grandmal type of seizure.. (1)
- e) C.S.F. becomes turbid in bacterial meningitis. (1)

7. Match Column 'A' with that of Column 'B'

1 X 10 = 10

Column A

Column B

- | | |
|--------------------------------|------------------------------|
| a) Toddler (II) | i) Intestinal obstruction |
| b) V.S.D (III) | ii) 1-3 years |
| c) Asphyxia (VI) | iii) Acyanotic heart disease |
| d) Nephroblastoma (V) | iv) Deworming |
| e) Piperazine (IV) | v) Wilms' Tumour |
| f) Kangaroo care (VII) | vi) Oxygen |
| g) Colostomy (I) | vii) Low birth weight baby. |
| h) Undescended testis (VIII) | viii) Orchidopexy |
| i) Otitis media (X) | x) Near sightedness |
| | xi) Middle ear infection |

WEST BENGAL NURSING COUNCIL
FINAL YEAR GENERAL NURSING- MIDWIFERY (3 YRS) EXAMINATION, July 2016.
Subject - Paediatric Nursing (Paper II) (Objective)

Time allotted - 20 mins.

Full Marks - 20

ANSWER ON THIS SHEET ONLY

1. Match the following items in column A with that of column B

1X10=10

Column A

- a. Breast feeding week
- b. Phimosis
- c. Neonates
- d. Kwashiorkor
- e. Keratomalacia
- f. Scabies
- g. Kerning's sign
- h. Hemophilia
- i. Adolescence girl
- j. Piperazine

Column B

- i. Protein deficiency (d)
- ii. Vit. A deficiency (e)
- iii. Circumcision (b)
- iv. Benzyl Benzoate. (f)
- v. 1st week of August. (a)
- vi. Anorexia Nervosa (g)
- vii. Meningitis (h)
- viii. Birth to 4 wks of life (c)
- ix. Deworming (j)
- x. Absence of clotting factor. (i)

2. Fill in the blanks:-

1X5=5

- a. Physiological jaundice develops on 2-3 day after birth.
- b. Causative organism of oral thrush is Candida Albicans
- c. During first four months of life, average weight gain per day of an infant is 25-30g
- d. Head circumference and chest circumference become equal at the age of 5-12 months
- e. Mode of entry of typhoid bacillus via fecal-oral route / urine-stool route in human being.

3. Write the full form of the followings:-

1X5=5

- a. ICDS Integrated Child Development Services
- b. FBNC Facility Based Neonatal Care
- c. STORCH Syphilis, Toxoplasmosis, Other Infection, Rubella, Cytomegalovirus infection, and Herpes Simplex
- d. PDA Patent ductus arteriosus
- e. SNCU Sick Neonatal Care Unit

WEST BENGAL NURSING COUNCIL

THIRD GENERAL NURSING-MIDWIFERY (3½ years) EXAMINATION, JANUARY-2015

SUBJECT : PAEDIATRIC NURSING (Paper-II) (OBJECTIVE)

Full Marks: 25

Time Allowed: 25 mnts.

ANSWER ON THIS SHEET ONLY

5. Fill in the blanks :-

a) During first four months of life an average weight gain per day of an infant is 25-30 gm 1x5=5

b) Neonatal jaundice is treated by phototherapy

c) Head circumference and chest circumference of a baby becomes same at the age of 6 months

d) The causative organism of oral thrush is Candida albicans

e) Surgical reconstruction of cleft lip is called cheiloplasty

6. Match the Column 'A' with that of the Column 'B'

1x10=10

Column A

- a) Kangaroo care
- b) V.S.D
- c) Hold heads steady
- d) Asphyxia
- e) Hemophilia
- f) Pyloric stenosis
- g) Hydrocephalus
- h) Erb's Palsy
- i) Piperazine
- j) Enuresis

Column B

- i) O2 (d)
- ii) Projectile vomiting (f)
- iii) Birth injury (h)
- iv) Low Birth weight (a)
- v) Bulging fontanelle (g)
- vi) Bed wetting (j)
- vii) Acyanotic heart Disease (b)
- viii) Deworming (i)
- ix) 3 months (c)
- x) Factor VIII deficiency (e)

7. Write 'T' (true) against the correct statement and 'F' (false) against the incorrect statement

1x5=5

- a) The child with moderate level of mental retardation is trainable (T)
- b) The best restraint for a child with cleft lip repair is Jacket Restraint (F)
- c) Genetic counselling before marriage is a way of preventing Thalassemia (T)
- d) A child admitted with severe diarrhoea, the first measures should be taken administration of ORS (T)
- e) Talipes equinovarus is the most common type of club foot (T)

(2)

8. Write the full form of the following abbreviations :-

1x5=5

- a) BCG _____
- b) VSD _____
- c) TOF _____
- d) ORT oral rehydration therapy
- e) PEM _____

MoneyGita

WEST BENGAL NURSING COUNCIL

FINAL GENERAL NURSING-MIDWIFERY (3½ years) EXAMINATION, JANUARY-2014

SUBJECT : PAEDIATRIC NURSING (Paper-II) (OBJECTIVE)

10 Minutes 20

Time Allowed: 20 mnts.

ANSWER ON THIS SHEET ONLY

Give a (✓) to the most suitable answer :-

1x5=5

The characteristics of physiological jaundice are :-

- ☒ Maximum intensity of jaundice is found on the 4th day in term babies with a serum bilirubin which does not exceed 15 mg/dl.
- ☐ Usually mothers does not need any encouragement for exclusive breast feeding.
- ☐ It may be aggravated by prematurity and infection only.

A child may be dumb because of :-

- ☒ Deafness. **Deafness.**
- ☐ Blindness.
- ☐ Tongue tie.

The predisposing situation in accidental injury in children are :-

- ☐ Hyperactive, curious children only have chances of accident.
- ☐ Accident may happen only in the homes.
- ☒ Accidents are more common in aggressive, stubborn, poor concentration and unsupervised children.

Rooting reflex disappears at the age of :-

- ☐ 1-2 months.
- ☒ 2-3 months.
- ☐ 6-7 months.

Osmotic diarrhea is due to :-

- ☐ Small Bowel defect and maldigestion.
- ☒ Maldigestion and poorly absorbed solute ingestion.
- ☐ Ingestion of poorly absorbed solute or maldigestion or a small bowel defect.

Write 'T' against 'True' and 'F' against 'False' statement :-

1x5=5

- i) The ingredients of oral rehydration salts are sodium chloride (3.5 gms) and potassium chloride (1.5 gms) only. (F)
- ii) TOF is an Anorectal malformations. (F)
- iii) Exclusive Breast feeding is feeding the baby only mother's breast milk upto Six months. (T)
- iv) WHO proposed the cut of point of Hb. Level for different age group for diagnosis of anemia is 11 gms/dl for 6 months (infants) to 6 yrs. of children. (T)
- v) Immunization of a child is not compulsory. (F)

P.T.O.

7. Fill in the blanks :-

- a) Polycystic kidney is one of the common congenital anomalies as inherited autosomal disease.
- b) Failure of one or both testis to reach the normal position in the scrotum is called undescended testes testes. undescended testes
- c) Palatoplasty is the surgical reconstruction of palate cleft palate
- d) According to the child labour act no child shall be permitted to not below 14 yrs
- e) The estimation of surface area in paediatric burns is commonly calculated by Rule of 9s

8. Match the Column 'A' with that of Column 'B'

Column A

- i) Kangaroo care (i)
- ii) Encephalitis (i)
- iii) Guillon Barre Syndrome (iv)
- iv) Spina Bifida (v)
- v) Otitis Externa (iii)

Column B

- i) Cerebellar ataxia (i)
- ii) Low birth weight baby (ii)
- iii) Impacted Cerumen (v)
- iv) Demyelination (iii)
- v) Neural tube anomaly (iv)
- vi) Swimmer's ear

Cleft lip surgery - cheiloplasty

Tracheoesophageal fistula

Tracheoesophageal Fistula

WEST BENGAL NURSING COUNCIL

THIRD YEAR GENERAL NURSING-MIDWIFERY (3½ years) EXAMINATION, AUG. - 2014

SUBJECT : PAEDIATRIC NURSING (Paper II)
(OBJECTIVE)

paediatric

Full Marks: 15

Time Allowed: 15 mins

ANSWER ON THIS SHEET ONLY

5. Encircle the most suitable answer :-

1x5=5

i) A baby can hold his head at the age of :

a. 15 days

b. 5 months

☒ c. 3 months

ii) The common infection of the oral cavity and tongue is by :

☒ a. Fungus

b. Bacteria

c. Virus

iii) Nursing Care for the infant with a surgical Lip repair includes -

a. Keeping the suture clean and dry.

b. Keep the baby calm and quiet to avoid crying.

☒ c. Both a & b.

iv) The first symptom of sickness in an infant is usually manifested by -

a. Pallor

☒ b. Failure to take feeds well

c. Fever

v) Which one of the following is a cyanotic congenital heart disease -

☒ a. TOF (tetralogy of fallot) (tetralogy of fallot)

b. VSD (Ventricular septal defect)

c. PDA (patent ductus Arteriosus)

6. Fill in the blanks:-

1x5=5

- a) Causative organism of whooping cough is Boordetella pertussis ~~Boordetella~~
- b) Bowel and bladder control is achieved at the age of 2 yrs. 3 yrs.
- c) Maintenance of warm chain prevent Hypothermia during neonatal period. Hypothermia
- d) Physiological jaundice develops with in 72 hours after birth.
- e) Common cause of anemia in children is low iron deficiency.

P.T.O.

7. Match the Column 'A' with the Column 'B'

Column A

- a) Colostomy (v)
- b) Beriberi (iii)
- c) Pneumonia (v)
- d) Kwashiorkor (ii)
- e) Erb's Palsy (i)

Column B

- i) Brain Injury (e)
- ii) Protein deficiency (d)
- iii) Vit B₁ deficiency (b)
- iv) Anorectal Malformation (a)
- v) Fast breathing (c)
- vi) Congenital anomaly

MoneyGita

WEST BENGAL NURSING COUNCIL

FINAL GENERAL NURSING-MIDWIFERY (3½ years) EXAMINATION, JULY-2013

SUBJECT : PAEDIATRIC NURSING (Paper-II) (OBJECTIVE)

Time Allowed: 20 mnts.

Full Marks: 20

ANSWER ON THIS SHEET ONLY

5. Write full form of the following abbreviations.

1X5=5

B.C.G.:

~~Bacilli Calmette Guerin~~ Bacillus Calmette Guerin

ARM:

~~Anorectal Malformation~~ Anorectal malformation

VSD:

~~Ventricular Septal Defect~~ Ventricular septal Defect

TEF:

~~Tracheo esophageal fistula~~ Tracheoesophageal Fistula

ORS:

~~Oral Rehydration Solution~~ Salt Oral Rehydration solution / salt

6. Write 'T' against true statement & 'F' against false statement

1X5=5

a) Sex education is essential for all adolescents.

(T)

b) 1-3 years child is called toddler.

(T)

c) Mode of transmission of Leprosy is mainly by oral route.

(F)

d) Turn the neonates head slowly to right or left side is called Moro reflex.

(F)

e) Serial manipulation followed by immobilization by plaster cast is management of club foot.

(T)

7. Tick mark (✓) the most suitable answer:

1X4=4

a) Anaemia is due to deficiency of Vitamin B12 is known as -

i) Aplastic anaemia

☒ ii) Megaloblastic

iii) Hemolytic

b) Depression of Anterior Fontanelle is a sign of -

☒ i) Dehydration☒ ii) Cough & cold

iii) Fever

c) The child with moderate level of mental retardation is -

i) Educable

☒ ii) Trainable

iii) Untrainable

d) The best restraint for a child with cleft lip repair is -

i) Jacket restraint

☒ ii) Finger restraint☒ iii) Elbow restraint

8. Match the Column 'A' with Column 'B':-

1X6=6

Column A

Column B

a) Asphyxia (v)

i) 1st week of August (d)

b) Kernig's sign (vi)

ii) Orchidopexy (e)

c) Neonatal Jaundice (vii)

iii) Anorectal Malformation (f)

d) Breast feeding week (i)

iv) Oxygen (a)

e) Undescended Testes (ii)

v) 1st week of November

f) Colostomy (iii)

vi) Meningitis (b)

vii) Phototherapy (c)

WEST BENGAL NURSING COUNCIL
FINAL GENERAL NURSING-MIDWIFERY (3½ years) EXAMINATION, JUNE -2010
SUBJECT: PAEDIATRIC NURSING (OBJECTIVE)

ROLL NO.

Full Marks: 20

Time Allowed: 20 mnts.

Answer on this sheet only

45 Encircle the most suitable answer :

1x5=5

a) The changing focus of Paediatric Nursing is on : ✓

i) Disease centred care

ii) Providing routine care

iii Caring for the first five years of life.

iv Child centred care within the family system.

b) Components of essential neonatal care includes all except :

i) Warm resuscitation.

ii) Conducting delivery in a warm room.

iii Bathing preponed.

iv) Warm transportation.

✓ c) Iodine deficiency disorders include :

i Goitre

ii) Retarded growth and impaired mental function.

iii Increase rate of spontaneous abortion and still birth.

iv All of the above.

iv d) Which of the following is a cyanotic congenital heart diseases.

i) VSD

ii TOF ✓

iii) ASD

iv) PDA

✓ e) The Juvenile Justice Act (2000) is applicable for those children who has not attained the age of :

i) 14 years

ii) 16 years

iii 18 years

iv) 12 years

WEST BENGAL NURSING
FINAL GENERAL NURSING-MIDWIFERY (3½ years) EXAMINATION, JUNE - 2012

SUBJECT : PAEDIATRIC NURSING (OBJECTIVE)

Full Marks: 25

Time Allowed: 25 mnts.

ANSWER ON THIS SHEET ONLY

5. Fill the blanks with appropriate word :-

1x5=5

- a) Infants weight is three times of birth weight at one year.
- b) Extra oral fluid is given to the child in fever to prevent dehydration.
- c) The child with acute respiratory infections to be kept in propped up position.
- d) Thumb sucking occurs due to feeling of insecurity in childhood.
- e) One of the causes of helminthic infestation among children in rural area is hookworm infestation.

6. Encircle the most suitable answer :-

1x6=6

- a) Respiratory rate of a one month old baby with acute respiratory infection will be -
 - i) More than 40 per minute
 - ii) More than 50 per minute
 - ☒ iii) More than 60 per minute
- b) Circumcision or excision of foreskin of the glans penis is done in case of -
 - i) Hypospadias
 - ii) Epispadias
 - ☒ iii) Phimosis
- c) A child with nephrotic syndrome should have diet with -
 - i) Low protein high salt and adequate fluid.
 - ii) High protein, high salt and restricted fluid.
 - ☒ iii) High protein with salt and fluid restricted diet.
- d) A child may be dumb because of -
 - ☒ i) Deafness
 - ii) Tongue tie
 - iii) Cleft palate
- e) The child with moderate level of mental retardation is -
 - ☒ i) Educable
 - ii) ~~Trainable~~
 - iii) Untrainable

(2)
Severe diarrhea with dehydration should be managed with -

- i) Oral rehydration salt solution
- ii) Intravenous dextrose solution and antibiotic
- iii) Intravenous Ringer lactated solution and O.R.S.

7. Write 'T' (true) against the correct statement & 'F' (false) against the incorrect statement:

1x6=6

- a) Anthropometric assessment includes measurement of the head circumference of the child with meningitis. ()
- b) Child should be placed in propped up position after lumbar puncture. ()
- c) Bicarbonate is used to correct metabolic acidosis. ()
- d) Congenital mega colon is due to absence of ganglionic cells in the colon. (F)
- e) Atrial septal defect is a congenital cyanotic heart disease. (F)
- f) Ketogenic diet is given with high fat and low carbohydrate and low protein. (T)

8. Match the statements given in Column 'A' with the term in Column 'B'

1x8=8

Column A

- 1) Soft musical noise breathing out
- 2) Kernig's Sign
- 3) Enuresis
- 4) Otitis media
- 5) Thrush
- 6) Koplik's spot
- 7) Neonatal Jaundice
- 8) Hemophilia

Column B

- a) Bed wetting (3)
- b) Infection of the middle ear. (4)
- c) Candidiasis (5)
- d) Meningitis (2)
- e) Absence of clotting factor (8)
- f) Wheezing (1)
- g) Wilm's tumor
- h) Measles (6)
- i) Phototherapy (7)

WEST BENGAL NURSING COUNCIL

GENERAL NURSING-MIDWIFERY (3½ years) EXAMINATION, DECEMBER -2010
SUBJECT : PAEDIATRIC NURSING (Paper II)

(OBJECTIVE)

Full Marks: 25

Time Allowed: 25 mnts.

ANSWER ON THIS SHEET ONLY

4. Fill in the blanks :-

1x5=5

- Exclusive Breast feeding should be given to the child upto 6 months of age.
- At the age of 9 months, a child is fed vit A oil along with measles vaccination.
- Neonatal Jaundice is treated by phototherapy
- Initial assessment of a newborn baby is done by a scoring is called Apgar scoring
- Fast breathing and chest indrawings are the features of severe ARI Pneumonia

5. Write 'True' in True and 'False' in False statement.

1x5=5

- Anterior fontanelle closes at the age of 6 months. 18 months (F)
- Sex education is essential for all adolescents. (T)
- A child doubles his birth weight at the age of 1 year. 5 months (F)
- Growth and development depends both on Heredity and Environment. (T)
- When a baby suffers from Diarrhoea, breast milk should be stopped. (F)

6. Place a tick (✓) mark in the most appropriate answer :-

1x5=5

i) The first manifestation of sickness of an infant is

- Vomiting
- Diarrhoea
- ☒ Refusal of food

ii) Number of milk teeth is

- 10
- ☒ 20
- 24

iii) Ring worm is caused by

- Virus
- Bacteria
- ☒ Fungus

iv) Pigeon chest occurs in

- Marasmus
- ☒ Ricket
- Benber

P.T.O.

5. Match Column A with that of Column B

Column A

- a) Colostomy (iii)
- b) Meningocele (i)
- c) Haemophilia (iv)
- d) Kangaroo Care (v)
- e) Photo therapy (ii)

Column B

- i) Neural tube defect
- ii) Hyper bilirubine mia
- iii) Ano-recal malformations
- iv) Factor VIII deficiency
- v) Low birth weight
- vi) Vit D deficiency

6. Fill in the blanks with suitable words :

1x5=5

- a) The process of functional and physiological maturation of an individual is termed as Growth & development ✓
- b) Head circumference and chest circumference of a baby becomes same at the age of 6-12 month . ✓
- c) Genital growth accelerates during adolescence period.
- d) Temper tantrum is a behavioural problem, usually seen in a child during toddler period
- e) Down syndrome is a chromosomal disorder disease.

7. Write 'T' if the statement is True and write 'F' if the statement is False.

1x5=5

- a) Complementary feeding for infant should be started after the age of 6 months. (T)
- b) B. C. G. Vaccination is administered in intramuscular route. Intradermal (F)
- c) Recurrent respiratory infections and otitis media are found in a child with cleft palate and cleft lip. (T)
- d) Serial manipulation followed by immobilization by plaster cast is done in the management of club foot. (T)
- e) IMNCI (Integrated management of Neonatal and childhood illness) Programme includes the case management of the children upto 12 years of age. (F)

✓ For all children upto 5 years

Length ~~double~~ double - 4-4.5 years

(2)

v) Legal age of marriage of a girl child is

a) 16 years

b) 18 years

c) 20 years

1x5=5

7. Write full forms of the following abbreviations :-

i) BCG *Bacillus Calmette Guérin*

ii) VSD *Ventricular Septal Defect*

iii) DPT *Diphtheria Pertussis Tetanus*

iv) RCH *Reproductive Child Health*

v) ICDS *Integrated Child Development Scheme*

8. Match the Column 'A' with the Column 'B'

1x5=5

Column A

Column B

a) Kwashiorkor (iii)

b) Hemophilia (i)

c) Phymosis (v)

d) Scabies (iv)

e) HIV/AIDS (ii)

i) Factor VIII deficiency

ii) Vertical transmission

iii) Protein energy malnutrition

iv) Benzyl Benzoate

v) Circumcision

vi) Cotrimoxazole

WEST BENGAL NURSING COUNCIL
FINAL GENERAL NURSING-MIDWIFERY (3½ years) EXAMINATION, JUNE -2010
SUBJECT: PAEDIATRIC NURSING (OBJECTIVE)

Full Marks: 20

Time Allowed: 20 mnts.

Answer on this sheet only

4. Encircle the most suitable answer :

1x5=5

- a) The changing focus of Paediatric Nursing is on :
- i) Disease centred care
 - ii) Providing routine care.
 - iii) Caring for the first five years of life.
 - iv) Child centred care within the family system.

b) Components of essential neonatal care includes all except :

- i) Warm resuscitation.
- ii) Conducting delivery in a warm room.
- iii) Bathing preponed.
- iv) Warm transportation.

c) Iodine deficiency disorders include :

- i) Goitre
- ii) Retarded growth and impaired mental function.
- iii) Increase rate of spontaneous abortion and still birth.
- iv) All of the above.

d) Which of the following is a cyanotic congenital heart diseases.

- i) VSD - Ventricular Septal Defect.
- ✓ ii) TOF - Tetralogy of Fallot.
- iii) ASD - Atrial Septal Defect
- iv) PDA - Patent Ductus arteriosus

e) The Juvenile Justice Act (2000) is applicable for those children who has not attained the age of :

- i) 14 years
- ii) 16 years
- iii) 18 years
- iv) 12 years

PTO

5. Match Column A with that of Column B

Column A

- a) Colostomy
- b) Meningocele
- c) Haemophilia
- d) Kangaroo Care
- e) Photo therapy

Column B

- i) Neural tube defect (b)
- ii) Hyper bilirubine mia (c)
- iii) Ano-recral malformations (a)
- iv) Factor VIII deficiency (e)
- v) Low birth weight (d)
- vi) Vit D deficiency

6. Fill in the blanks with suitable words :

1x5=5

- a) The process of functional and physiological maturation of an individual is termed as growth & development
- b) Head circumference and chest circumference of a baby becomes same at the age of 1 yr
- c) Genital growth accelerates during Adolescent period.
- d) Temper tantrum is a behavioural problem, usually seen in a child during Toddler period
- e) Down syndrome is a genetic disorder disease.

7. Write 'T' if the statement is True and write 'F' if the statement is False.

1x5=5

- a) Complementary feeding for infant should be started after the age of 6 months. (T)
- b) B. C. G. Vaccination is administered in Intramuscular route. (F)
- c) Recurrent respiratory infections and otitis media are found in a child with cleft palate and cleft lip. (T)
- d) Serial manipulation followed by immobilization by plaster cast is done in the management of club foot. (T)
- e) IMNCI (Integrated management of Neonatal and childhood illness) Programme includes the case management of the children upto 12 years of age. (F)

WEST BENGAL NURSING COUNCIL
FINAL GENERAL NURSING-MIDWIFERY (3½ years) EXAMINATION, DECEMBER -2009
SUBJECT : PAEDIATRIC NURSING (OBJECTIVE)

Full Marks: 25

Time Allowed: 25 mnts.

ANSWER ON THIS SHEET ONLY

4. Fill in the blanks :-

1x5=5

- a) Chest indrawing and fast breathing are features of severe Pneumonia
- b) Most fatal complication of a child with a Rheumatic fever is Carditis
- c) Birth weight is usually trippled by the age of 1 yr
- d) Cleft palate must be repaired before Speech development.
- e) Bowel and bladder control is achieved at the age of 2 yrs

5. Match the Column 'A' with that of the Column 'B'

1x10=10

Column A

Column B

- | | |
|------------------------------|--|
| a) Hirschprung disease (✓) | i) Meningitis |
| b) Fungal infection (✓) | ii) Deworming |
| c) Ophthalmic neonatorum (✓) | iii) Endocarditis |
| d) Pyloric stenosis (✓) | iv) STD |
| e) Sore throat (✓) | v) Mumps |
| f) Piperazine (✓) | vi) A gray false membrane over upper respiratory tract |
| g) Diphtheria (✓) | vii) Aganglionic colon |
| h) Orchitis (✓) | viii) candidiasis |
| i) Kerning's sign (✓) | ix) Absence of clotting factors |
| j) Haemophilia (✓) | x) Non bile stained vomitus |

6. Write 'T' against True statement and 'F' against False statement.

1x5=5

- a) Thyromegaly is also known as Goitre
- b) Bicarbonate is used in Metabolic alkalosis
- c) CSF becomes turbid in bacterial meningitis
- d) Ventriculo-peritoneal shunt is done in case of cardiomegaly
- e) Mumps is the inflammation of the parathyroid gland

(T)

(F)

(T)

(F)

(F)

P.T.O.

7. Choose and tick (✓) mark the right answer :-

- a) ^c ^a Carbral Malaria is caused by
- (i) P. Vivare
 - (ii) P. falciparum
 - (iii) P. Ovale
- b) PEP should be give to a baby of HIV Infected mother within (2hrs / 10 days / 1 week)
- c) Anemia is due to defficiency of Vit B₁₂ is known as
- (i) aplastic anemia
 - ✓(ii) megaloblastic anemia
 - (iii) Haemolytic anemia
- d) Orchidopexy is done in case of (Phimosis / Orchitis / ✓undescended testes)
- e) Physiological jaundice in appeared in new born within (2-3 days / ✓4-5 days / 7 days)

WEST BENGAL NURSING COUNCIL

FINAL GENERAL NURSING-MIDWIFERY (3½ years) EXAMINATION, JUNE -2009

SUBJECT: PAEDIATRIC NURSING (OBJECTIVE)

Full Marks: 20

Time Allowed: 20 mnts.

Answer on this sheet only

5. Write 'T' against 'True' statement and 'F' against 'False' statement 1x5=5

- a) Ancylostomiasis is the infection caused by Hook Worm (T)
- b) A baby born from a hepatitis B carrier mother does not require hepatitis B vaccination. (F)
- c) Genetic counselling before marriage is a way of preventing Thalassaemia. (T)
- d) Chest indrawing is a sign of ARI. (T)
- e) Non-bilious projectile vomiting in an infant is usually due to Pyloric Stenosis. (-)

6. Fill in the blanks with suitable words : 1x5=5

- a) Thumb sucking occurs due to feeling of _____ in childhood.
- b) Causative organism of oral thrush is _____
- c) The method of evaluation of the status of newborn baby just after birth is known as Apgar score
- d) When the prepuce cannot be retracted over the glans penis due to tightness is termed as phimosis
- e) Night blindness is caused due to deficiency of Vitamin A

7. Match Column A with that of Column B

1x10=10

Column A

- a) Haemophilia
- b) Cleft Palate
- c) Asphyxia
- d) Otitis media
- e) Nail Biting
- f) Fallot's tetralogy
- g) B.C.G.
- h) Convulsion
- i) Spina bifida
- j) Mongolism

Column B

- i) Eustachian tube (d)
- ii) Anxiety (e)
- iii) Koch's infection (f)
- iv) Heredity (a)
- v) Feeding problem (b)
- vi) Oxygen (c)
- vii) Down's Syndrome (j)
- viii) Congenital deformity (i)
- ix) Congenital Heart Disease (h)
- x) Hyper pyrexia (g)
- xi) Epilepsy (d)

WEST BENGAL NURSING COUNCIL**FINAL GENERAL NURSING-MIDWIFERY (3½ years) EXAMINATION, DECEMBER -2008****SUBJECT: PAEDIATRIC NURSING (OBJECTIVE)**

Full Marks: 20

Time Allowed: 20 mnts.

Answer on this sheet only

5. Encircle (O) the most suitable answer :

1x5=5

a) According to WHO, adolescence period extends from --

i) 10 years to 18 years

ii) 12 years to 18 years

iii) 13 years to 19 years

b) The child marriage Restraint Act, 1978 fixed the legal minimum age of marriage as follows --

i) 18 years for both girls and boys.

ii) 18 years for girls and 21 years for boys.

iii) 21 years for both girls and boys.

c) Severe diarrheal dehydration should be managed with --

i) Oral rehydration salt (ORS) solution and metronidazole.

ii) Intravenous dextrose solution and antibiotics.

iii) Intravenous Ringer lactate solution and ORS solution.

d) Acute Rheumatic fever is diagnosed in the presence of following features --

i) Carditis, Chorea and arthralgia.

ii) Fever, Chest Pain and tachycardia.

iii) Fever, arthralgia and Chest Pain

e) Mastoidectomy is indicated in a case of --

i) Breast Cancer

ii) Oral Cancer

iii) Chronic Suppurative Otitis media

6. Write 'T' against 'True' statement and 'F' against 'False' statement

1x5=5

a) Exclusive Breast feeding to be given to the infant upto the age of six month

(T)

b) Talipes equinovarus is the most common type of club-foot

(F)

c) Hypospadias is the congenital abnormality of the urethral opening on the dorsal aspect of Penis

(F)

d) Thalassemia is an inherited bleeding disorder due to the deficiency to plasma coagulation factor

(F)

e) Commonly used scabidical agent is benzyl benzoate

(F)

PTO

(2)

7. Fill up the blanks :

1x5=5

- a) A child doubles the birth length by _____ years of age
- b) Milk teething is completed by the age of _____
- c) Malignant embryonal tumour of the kidney found in the children is known as _____
- d) The xerosis is the condition due to deficiency of _____
- e) Orchidopexy is the surgical management done in the condition termed as _____

8. Match Column A with that of Column B

1x5=5

Column A

Column B

- | | |
|-------------------------------|-----------------------------------|
| a) Myopia | i) 1 year |
| b) Ventricular septal defects | ii) Near sightedness |
| c) Toddler | iii) Ventricular peritoneal shunt |
| d) Hyperopia | iv) Far sightedness |
| e) Hold heads steady | v) 3 months |
| | vi) Acyanotic heart disease |

WEST BENGAL NURSING COUNCIL

Final General Nursing-Midwifery (New) Examination, August-2007

Subject : Paediatric Nursing (Objective)Answer on this sheet onlyFull Marks : 20Time Allowed : 20 Mins

1 x 5 = 5

4. Encircle the most suitable answer

- a) Which assessment finding is normal for a 3 months old baby ?
 - i) Able to lift head and shoulder.
 - ii) Able to roll from back to abdomen.
 - iii) Able to hold bottle.
- b) Which is the most prominent finding for an infant with hydrocephalus ?
 - i) Marked depression of the Anterior Fontanelle.
 - ii) Absence of the sucking reflex.
 - iii) Increase in size of head.
- c) Which restraint is best for a child who has had a cleft lip repaired ?
 - i) Jacket Restraint.
 - ii) Elbow Restraint.
 - iii) Finger Restraint.
- d) Which of the following diet is most appropriate for a child after Tonsillectomy.
 - i) Orange Juice.
 - ii) Ice Cream.
 - iii) Luke Warm Milk.
- e) While caring for mouth of a leukemic child who is on cancer Chemotherapy, the nurse should avoid using of
 - i) Straws.
 - ii) A toothbrush.
 - iii) Mouth Wash.

5. Fill in the blanks.

1 x 5 = 5

- i) Anterior Fontanelle closes at the age of _____
- ii) Pathological Jaundice appears within _____ of birth.
- iii) Koplick's Spot is a sign of _____
- iv) The Umbilical Vein carries _____ blood.
- v) Inflammation or Infection of the Middle Ear is called _____

Cont./d..... 2

6. Write 'T' against the true statement and 'F' against the false statement.

1 x 5 = 5

- a) Thumb Sucking indicates a natural behavior in a 3 years old child ()
- b) Cephal Hematoma is not occurring due to birth injuries. ()
- c) Palpation of abdomen should be avoided in Wilm's Tumor. ()
- d) Oral Thrush is a Bacterial Infection. ()
- e) There is no Substitute of Breast Feeding ()

7. Match the column 'A' with that of column 'B'

1 x 5 = 5

Column 'A'

- a) Erb's Palsy
- b) Pyloric stonosis
- c) Haemophilia
- d) Keratomalacia
- e) Esophageal Atresia

Column 'B'

- 1) Vitamin D
- 2) Heredity
- 3) Feeding Problem.
- 4) Projectile Vomiting
- 5) Birth Injuries.
- 6) Vitamin 'A'